Online appendix A

Data extraction form for public health sector EGM

GENERAL INFORMATION

Publication Title		
Publication Authors		
Funder/Research Institution		
Publication Year		
Region	East Asia and Pacific	☐
	Europe and Central Asia	☐
	Latin America and Caribbean	☐
	Middle East and North Africa	☐
	South Asia	☐
	Sub-Saharan Africa	☐
Country of implementation		

POPULATION

Target population Age	Young adults (18-35)	
	Adults (36-65)	
	Elderly (65+)	
	Mixed/not specified	
Intervention level	Individual	
	Household/clustered	
Beneficiaries	>1,000 <10,000	
	>10,000 <100,000	
	>100,000	
	Not clear/not reported	
Intervention scale	Villages/communities	
	Subnational (district/state/county/etc.)	
	National/cross country	

INTERVENTION

Timing of data collection	One time	
	1 to 12 months	

	1 to 3 years	
	More than 3 years	
	Can´t tell	
Type of intervention by priority area	Substance abuse	
	Hygiene practices	
	Utilization of health services	
	Nutrition and diet	
	Physical activity	
Type of intervention by function	Education	☐
	Persuasion	☐
	Incentives	☐
	Coercion	☐
	Training	☐
	Restriction	☐
	Physical (environmental) restructuring	☐
	Social (environmental) restructuring	☐
	Modeling	☐
	Enablement	☐
Type of intervention by sources of behavior	Physical capability	
	Psychological capability	
	Reflective motivation	
	Automatic motivation	
	Physical opportunity	
	Social opportunity	
Type of intervention by policy categories	Service provision	
	Legislation	
	Regulation	
	Guidelines	
	Fiscal measures	
	Environmental/Social planning	
	Communication/Marketing	
Number of treatment arms	*Choose a number*	
Number of intervention components	*Choose a number from 1 to 5*	

OUTCOMES

Outcome category	Health seeking behavior with social externalities	☐
	Health seeking behavior with largely private benefits	☐
	Consumption or purchasing decisions with social externalities	☐
	Consumption or purchasing decisions with largely private benefits	☐
"Original" outcomes	Hand washing	
	Water treatment	
	Toilet/Latrine use	
	Toilet/Latrine construction	
	Open defecation	
	Cigarette smoking	
	Alcohol intake	
	Expenditure	

	Drink driving	
	ORS use	
	ANC uptake	
	PNC uptake	
	Immunization/Vaccination	
	Medical check up	
	Medicine adherence	
	Institutional delivery	
	Skilled birth attendance	
	Exercise	
	Food intake/preparation	
	Other original outcome (specify)	
Other original outcome (specify)		

STUDY DESIGN

	Systematic Review/Meta-analysis	
	RCT	☐
	Regression Discontinuity	☐
	Matching/ Propensity Score Matching (PSM)	☐
Study Design	Instrumental Variable/2SLS	☐
	Difference in Difference	☐
	Interrupted Time series	☐
	Controlled Before and After	☐
	Heckman	☐